



CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9219 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 950W Rated Speed: 350RPM Twist Drill: Ø19mm Max Attraction: 10000N Max Travel: 180mm Rotated Axis Taper: MT2 Drill Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210*105*65mm Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Inner: 1pcs/plastic case Outer: 1pc/carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 23.00/21.00Kgs Loading: 590pcs/20' </p>	


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9223 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1200W Rated Speed: 350RPM Twist Drill: Ø23mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: MT2 Drill Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210*105*65mm Approval: CE Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Inner: 1pcs/plastic case Outer: 1pc/carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 23.00/21.00Kgs Loading: 590pcs/20' </p>	


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9223A Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1200W Rated Speed: 350RPM Twist Drill: Ø23mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: MT2 Revolve Scope: ±30⁰ Move Scope: ±8mm Drill Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210*105*65mm Approval: CE Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Inner: 1pcs/plastic case Outer: 1pc/carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 23.00/21.00Kgs Loading: 590pcs/20' </p>	 <p>The product image shows the magnetic drill (CSEZ9223A) in blue and black. Below it are several accessories: a black triangular piece, a small plastic bag with a bolt, a metal drill bit, a pair of carbon brushes, a roll of orange safety tape, a blue safety lock, a black plastic case, a power cord with a two-prong plug, and three metal handles with black grips.</p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9219A Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 950W Rated Speed: 350RPM Twist Drill: Ø19mm Max Attraction: 10000N Max Travel: 180mm Rotated Axis Taper: MT2 Revolve Scope: ±30⁰ Move Scope: ±8mm Drill Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210*105*65mm Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Packing: 1pcs/plastic carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 23.00/21.00Kgs Loading: 590pcs/20' </p>	 <p>The main image shows the magnetic drill, a blue and black hand-operated machine with a motor, a handle, and a base. Below it are several smaller images of accessories: a metal drill bit, a black triangular piece, a clear plastic bag with a small component, a pair of safety glasses, a roll of orange tape, a blue handle, a dark blue plastic case, a close-up of the power plug, and three metal drill bits with black handles.</p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ2800 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 880W Rated Speed: 580RPM Hole Drill: Ø12-28mm Max Attraction: 8000N Max Travel: 140mm Rotated Axis Taper: Weldon Shank 3/4" Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 166 * 80 * 48mm Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual. </p>	<p> Inner: 1pcs/plastic case Outer: 1pcs/Carton Carton Size: 37 * 16.5 * 44 cm G/N Weight: 15.00/13.50Kgs Loading: 1042pcs/20' </p>	 <p>The product image displays the magnetic drill unit in orange and black. Below it are various accessories: a power cord with two rounded pins, two fuses, a pair of carbon brushes, a hex key wrench, a blue water bottle with a white pipe, a pair of safety locks, and three handles. A black plastic case is also shown at the bottom left of the image area.</p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ3001 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 900W Rated Speed: 0-500RPM Hole Drill: Ø12-30mm Max Attraction: 8000N Max Travel: 120mm Rotated Axis Taper: Weldon Shank 3/4" Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 166 * 80 * 48mm Approval: CE Accessories: 3pcs handles, 2pcs fuses (1A),1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock,1pc side handle of motor, 1pc instruction manual. </p>	<p> Inner: 1pcs/plastic case Outer: 1pcs/Carton Carton Size: 37 * 16.5 * 44 cm G/N Weight: 13.00/11.50Kgs Loading: 1042pcs/20' </p>	 <p>The product image section contains several photographs: a large image of the magnetic drill unit (orange and black) with a motor and handle; a blue and white water bottle; a coiled orange power cord; a pair of carbon brushes; a hex key wrench; a safety lock; a side handle for the motor; a power plug; and three different drill bits.</p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9225 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1500W Rated Speed: 350RPM Twist Drill: Ø25mm Max Attraction: 13000N Max Travel: 180mm Rotated Axis Taper: MT3 Drill Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210*105*65mm Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Inner: 1pcs/plastic case Outer: 1pc/carton Carton Size: 45 * 19 * 54.5cm G/N Weight: 24.00/23.00Kgs Loading: 600pcs/20' </p>	 <p>The main image shows a blue and black magnetic drill. Below it are several smaller images of accessories: a black triangular piece, a metal rod, a small plastic bag, a pair of carbon brushes, a roll of orange tape, a blue safety lock, a blue plastic case, a power plug, and three drill bits.</p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ3200 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1050W Rated Speed: 0-550RPM Hole Drill: Ø12-32mm Max Attraction: 8000N Max Travel: 120mm Rotated Axis Taper: Weldon Shank 3/4" Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 166 * 80 * 48mm Approvals: CE Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual </p>	<p> Inner: 1pcs/plasticcarton Outer: 1pcs/Carton Carton Size: 37 * 16.5 * 44cm G/N Weight: 12.50/11.50Kgs Loading: 1040pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large image of the blue and black magnetic drill with its motor and handles. A collection of accessories including a blue carrying case, a roll of orange tape, a small plastic bag, a hex key wrench, a blue water bottle, a metal pipe, and three drill bits. A close-up image of the power plug, which has two rounded pins. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ94452 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1200W Rated Speed: 0-350min-1 Hole Drill: Ø12-45mm Twist Drill: Ø16mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: Weldon Shank 3/4" Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 210 * 105 * 65mm Approvals: CE Accessories: 3pcs handles, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuses (1A), 1pair carbon brush, 1pc hex key wrench, 1pc MT2 cross shank, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual </p>	<p> Inner: 1pcs/plastic case Outer: 1pcs/Carton Carton Size: 45 * 19 * 55.5 cm G/N Weight: 23.50/21.00Kgs Loading: 590pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large blue and black magnetic drill machine. A white plastic water bottle with a blue cap and a hose. A collection of accessories including an orange safety mat, a metal rod, a pair of carbon brushes, a drill bit, a black wedge, and a small plastic bag with a hex key. A dark blue plastic carrying case. A close-up of the power plug and cord. Three metal drill bits with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ94451 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1200W Rated Speed: 0-350min-1 Hole Drill: Ø12-45mm Twist Drill: Ø16mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: MT2 Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 210 * 105 * 65mm Approvals: CE Accessories: 3pcs handles, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuses (1A), 1pair carbon brush, 1pc hex key wrench, 1pc MT2 cross shank, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual </p>	<p> Inner: 1pcs/plastic case Outer: 1pcs/Carton Carton Size: 45 * 19 * 55.5 cm G/N Weight: 23.50/21.00Kgs Loading: 590pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large image of the magnetic drill machine, which is blue and black with a yellow label. A white plastic water bottle with a blue cap and a hose attached. A collection of accessories including an orange safety cap, a blue handle, a metal rod, a carbon brush, a hex key wrench, a cross shank, a black triangular piece, and a small plastic bag. A dark blue plastic carrying case with a handle. A close-up of the power cord with two rounded pins. Three metal drill bits with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ94452A Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1200W Rated Speed: 0-350min-1 Hole Drill: Ø12-45mm Twist Drill: Ø16mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: Weldon Shank 3/4" Revolve Scope: ±30⁰ Move Scope: ±8mm Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 210 * 105 * 65mm Approvals: CE Accessories: 3pcs handles, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuses (1A), 1pair carbon brush, 1pc hex key wrench, 1pc MT2 cross shank, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual </p>	<p> Inner: 1pcs/plastic case Outer: 1pcs/Carton Carton Size: 45 * 19 * 55.5 cm G/N Weight: 26.00/23.00Kgs Loading: 590pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large blue and black magnetic drill machine with a hand crank and a pressure gauge. A blue and white plastic water bottle with a hose. A collection of accessories including an orange safety lock, a metal handle, a small plastic bag, a pair of carbon brushes, a metal drill bit, a black cross-shank, a hex key wrench, a black triangular piece, and a small metal pin. A black plastic carrying case. A close-up of the power plug and cord. Three metal drill bits with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ94451A Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1200W Rated Speed: 0-350min-1 Hole Drill: Ø12-45mm Twist Drill: Ø16mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: MT2 Revolve Scope: ±30⁰ Move Scope: ±8mm Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 210 * 105 * 65mm Approvals: CE Accessories: 3pcs handles, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuses (1A), 1pair carbon brush, 1pc hex key wrench, 1pc MT2 cross shank, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual </p>	<p> Inner: 1pcs/plastic case Outer: 1pcs/Carton Carton Size: 45 * 19 * 55.5 cm G/N Weight: 26.00/23.00Kgs Loading: 590pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large image of the magnetic drill machine, which is blue and black with a silver motor and a drill bit. A white plastic water bottle with a blue cap and a clear tube attached. A collection of accessories including an orange safety cap, a blue handle, a metal rod, a pair of carbon brushes, a hex key wrench, a black MT2 cross shank, a black safety lock, and a small white bag. A dark blue plastic carrying case with a handle and latches. A close-up of the power cord and the two rounded pins of the plug. Three metal drill bits of different sizes. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9050A Voltage/Frequency: 230V~/50Hz Plug/Power Cord: 2 rounded pins/2.6m length Input Power: 1500W Rated Speed: 100-500RPM Hole Drill: Ø12-50mm Twist Drill: Ø23mm Max Travel: 180mm Rotated Axis Taper: MT3 Max Attraction: 15000N Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handles, 1pc MT2 cross shank, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuses (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc instruction manual </p>	<p> Inner: 1pcs/plastic case Outer: 1pcs/Carton Carton Size: 45 * 19 * 54.5 cm G/N Weight: 25.00/22.00Kgs Loading: 600pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large blue and black magnetic drill with a long metal shank. A blue and white plastic water bottle with a hose. An orange coiled power cord with a blue handle. A metal drill bit. A pair of carbon brushes. A hex key wrench. A black triangular safety lock. A small white plastic bag containing a component. A dark blue plastic carrying case. A close-up of the two-pin power plug. Three metal drill bits with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ5000 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1500W Rated Speed: 500RPM Hole Drill: Ø12-50mm Max Attraction: 16500N Max Travel: 180mm Rotated Axis Taper: Weldon Shank 3/4" Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 210 * 105 * 65mm Approvals: CE Accessories: 3pcs handles, 1pair safety lock,2pcs fuses (1A),1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, side handle of motor, 1pc instruction manual </p>	<p> Inner: 1pcs/plastic case Outer: 1pcs/Carton Carton Size: 45 * 19 * 55.5 cm G/N Weight: 24.00/22.00Kgs Loading: 590pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large image of the orange and white magnetic drill (CSEZ5000) with its base and handle. A collection of accessories including an orange safety strap, a pair of safety lock, two fuses, a hex key wrench, a blue and white water bottle, and a water pipe. A black plastic carrying case for the drill. A close-up of the power cord with two rounded pins. Three different handle options for the drill. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9438 Voltage/Frequency: 230V/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1050W Rated Speed: 0-500RPM & 0-800RPM Hole Drill: Ø12-38mm Twist Drill: Ø23mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: MT2 Drill Depth: 50mm Tap Capacity: M8-M16 Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 210 * 105 * 65mm Approval: CE Accessories: 3pcs handles, 1pc safety lock, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuses (1A), 1pc MT2 cross shank, 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, side handle of motor, 1pc tap chuck head, 1pc instruction manual </p>	<p> Packing: 1pcs/plastic carton Carton Size: 45 * 19 * 50cm G/N Weight: 21.00/19.00Kgs Loading: 590pcs/20' </p>	 <p>The product image displays the magnetic drill machine (CSEZ9438) in red and black. It includes various accessories: an orange safety net, a blue safety lock, a metal drill bit, a tap chuck head, a hex key wrench, a water bottle, a water pipe, a side handle of the motor, and a tap chuck head. The machine is shown in a vertical orientation, and the accessories are arranged around it.</p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9013 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 450W Rated Speed: 550RPM Twist Drill: Ø13mm Max Attraction: 8500N Max Travel: 140mm Rotated Axis Taper: MT2 Revolve Scope: ±30° Move Scope: ±8mm Drill Mode: Hand Cool Mode: Self-cooled Single circular magnetism: Ø150 * 65mm Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pair safety lock, 1pc chuck key, 1pc side handle of motor, 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 34 * 21 * 47.5cm G/N Weight: 18.50/17.50Kgs Loading: 825pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large image of the orange and grey magnetic drill with its side handle. A roll of orange safety tape. A pair of carbon brushes. A clear plastic bag containing a small component. A black metal T-shaped handle. A black gear-like component. A photograph of the cardboard shipping carton. A close-up of the drill's motor plug. Three metal twist drills with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9016 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 750W Rated Speed: 550RPM Twist Drill: Ø16mm Max Attraction: 9000N Max Travel: 140mm Rotated Axis Taper: MT2 Revolve Scope: ±30⁰ Move Scope: ±8mm Drill Mode: Hand Cool Mode: Self-cooled Single circular magnetism: Ø150 * 65mm Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pair safety lock, 1pc chuck key, 1pc side handle of motor, 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 34 * 21 * 47.5cm G/N Weight: 20.00/18.00Kgs Loading: 825pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large central image of the orange magnetic drill with its motor and handles. A roll of orange safety tape with a blue strap. A small clear plastic bag containing a component. A pair of carbon brushes. A black metal T-shaped component. A black circular magnet. A cardboard shipping box. A close-up of the power cord with two rounded pins. Three metal drill bits with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9023 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1000W Rated Speed: 300RPM Twist Drill: Ø23mm Max Attraction: 11000N Max Travel: 180mm Rotated Axis Taper: MT2 Revolve Scope: ±30⁰ Move Scope: ±8mm Drill Mode: Hand Cool Mode: Self-cool Single circular magnetism: Ø150 * 75mm Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 51.5 * 18.5 * 48cm G/N Weight: 24.00/22.50Kgs Loading: 612pcs/20' </p>	 <p>The product image displays the magnetic drill machine (CSEZ9023) in orange and black. Below the main image, several accessories are shown: a black triangular safety lock, a silver metal handle, a white plastic bag containing a carbon brush, a pair of blue safety glasses, a roll of orange tape, a black power cord with two rounded pins, and three silver metal handles with black grips.</p>










CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9423 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1200W Rated Speed: 350RPM Twist Drill: Ø23mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: MT2 Drill Mode: Hand Cool Mode: Self-cool Single circular magnetism: Ø150 * 75mm Approval: CE Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 34 * 21 * 47.5cm G/N Weight: 20.00/18.00Kgs Loading: 825pcs/20' </p>	 <p>The product image section contains several photographs. At the top right is a large image of the magnetic drill, which has an orange frame, a silver motor, and a black handle. Below this are several smaller images: a black triangular piece, a silver cylindrical component, a white plastic bag, a pair of black safety locks, a roll of orange tape, a cardboard box, a close-up of the power plug, and three metal drill bits with black handles.</p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9119 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 900W Rated Speed: 330RPM Twist Drill: Ø19mm Max Attraction: 10000N Max Travel: 180mm Rotated Axis Taper: MT2 Revolve Scope: ±30⁰ Move Scope: ±8mm Drill Mode: Hand Cool Mode: Self-cool Single circular magnetism: Ø150 * 75mm Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 59 * 21 * 56cm G/N Weight: 27.00/24.50Kgs Loading: 403pcs/20' </p>	<div style="text-align: center;">  </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;">      </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;">    </div>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9123 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1000W Rated Speed: 300RPM Twist Drill: Ø23mm Max Attraction: 11000N Max Travel: 180mm Rotated Axis Taper: MT2 Revolve Scope: ±30⁰ Move Scope: ±8mm Drill Mode: Hand Cool Mode: Self-cool Single circular magnetism: Ø150 * 75mm Approval: CE Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 59 * 21 * 56cm G/N Weight: 27.00/24.50Kgs Loading: 403pcs/20' </p>	 <p>The product image section contains several photographs. At the top is a large image of the orange magnetic drill. Below it are smaller images of individual accessories: a black triangular piece, a small white component in a bag, a metal shaft, a pair of carbon brushes, a blue safety lock, and a roll of orange tape. At the bottom are three more images: a cardboard box, a close-up of the power plug, and three metal drill bits.</p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ3500 Voltage/Frequency: 230V~/50Hz Plug/power cord: 2 rounded pins/2.6m length Input Power: 1050W Rated Speed: 500RPM Hole Drill: Ø12-35mm Twist Drill: Ø16mm Max Attraction: 11000N Max Travel: 140mm Rotated Axis Taper: Weldon Shank 3/4" Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 170 * 90 * 70mm Approvals: CE Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc 19 cross chuck join shank, 1pc side handle of motor, 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 31 * 16 * 44cm G/N Weight: 19.00/17.50Kgs Loading: 1280pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large orange and silver magnetic drill machine with a control panel and handles. A blue and white plastic water bottle with a hose attached. A roll of orange safety tape. A blue power plug with a 2-pin cord. A pair of carbon brushes. A hex key wrench. A small white plastic bag containing a component. A cardboard shipping box. A close-up of the power plug. Three metal drill bits with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ3000 Voltage/Frequency: 230V~/50Hz Plug/power cord: 2 rounded pins/2.6m length Input Power: 900W Rated Speed: 500RPM Hole Drill: Ø12-30mm Max Attraction: 9500N Max Travel: 120mm Rotated Axis Taper: Weldon Shank 3/4" Drill Depth: 50mm Revolve Scope: ±30⁰ Move Scope: ±8mm Drill Mode: Hand Cool Mode: Self-cool Single Circular Magnetism: Ø150 * 65mm Approvals: CE Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual </p>	<p> Inner: 1pcs/plastic case Outer: 1pc/carton Carton Size: 37 *16.5 * 44cm G/N Weight: 24.00/21.00Kgs Loading: 1042pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large orange and black magnetic drill with a motor and handle. A blue and white plastic water bottle with a hose. A roll of orange safety tape. A pair of carbon brushes. A small plastic bag containing a fuse. A hex key wrench. A side handle for the motor. A cardboard carton for the product. A close-up of the power cord with two rounded pins. Three different drill bits with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9228 Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1650W Rated Speed: 320RPM Twist Drill: Ø28mm Max Attraction: 15000N Max Travel: 180mm Rotated Axis Taper: MT3 Drill Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handles, 2pcs fuses (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 39 * 19 * 48cm G/N Weight: 24.00/23.00Kgs Loading: 787pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large image of the orange and black magnetic drill with a silver motor. A row of five small images showing accessories: a metal handle, a black wedge, a clear plastic bag with a fuse, a pair of carbon brushes, and a roll of orange safety tape. A photograph of the cardboard shipping carton. A close-up of the power cord with two rounded pins. A photograph of three metal drill bits with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9445B Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1100W Rated Speed: 0-330min-1 Hole Drill: Ø12-45mm Twist Drill: Ø23mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: MT2 Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 210 * 105 * 65mm Approvals: CE Accessories: 3pcs handles, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuses (1A), 1pair carbon brush, 1pc hex key wrench, 1pc MT2 cross shank, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual </p>	<p> Inner: 1pcs/plastic case Outer: 1pcs/Carton Carton Size: 45 * 19 * 55.5 cm G/N Weight: 23.50/21.00Kgs Loading: 590pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large orange magnetic drill with a grey motor and a white water reservoir. A separate white plastic water bottle with a blue cap and a hose. A collection of accessories including a blue handle, a hex key wrench, a metal drill bit, a carbon brush, a safety lock, and a small plastic bag. A photograph of the cardboard carton packaging. A close-up of the power cord with a two-prong electrical plug. Three different drill bits with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9445BA Voltage/Frequency: 230V~/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1100W Rated Speed: 0-330min-1 Hole Drill: Ø12-45mm Twist Drill: Ø23mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: MT2 Revolve Scope: ±30⁰ Move Scope: ±8mm Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handles, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuses (1A), 1pair carbon brush, 1pc hex key wrench, 1pc MT2 cross shank, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual </p>	<p> Packing: 1pc/carton Carton Size: 45 * 19 * 55.5 cm G/N Weight: 25.00/22.50Kgs Loading: 590pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large image of the magnetic drill machine, which is blue and black with a white motor housing. A blue and white plastic water bottle with a hose attached, used for cooling. A collection of accessories including a red safety cap, a metal handle, a pair of carbon brushes, a black handle, a black triangular piece, a hex key wrench, and a small plastic bag. A photograph of the cardboard shipping carton. A close-up of the power cord with two rounded pins. Three metal drill bits with black handles. </p>









CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9319 Voltage/Frequency: 380V~/50Hz Plug/Power cord: 4 rounded pins/2.6m length Input Power: 500W Rated Speed: 290RPM Twist Drill: Ø19mm Max Attraction: 11000N Max Travel: 180mm Rotated Axis Taper: MT2 Drill Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210*105*65mm Accessories: 3pcs handles, 2pcs fuses (1A), 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 39 * 19 * 48cm G/N Weight: 26.00/23.50Kgs Loading: 787pcs/20' </p>	 <p> The product image section contains several photographs. At the top right is a large image of the orange magnetic drill. Below it are smaller images of individual accessories: a metal drill bit, a black triangular tool, a roll of orange tape, and a small plastic bag. At the bottom left is a photograph of the cardboard shipping carton. At the bottom center is a close-up of the red and white magnetic base. At the bottom right are three metal drill bits with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9323 Voltage/Frequency: 380V~/50Hz Plug/Power cord: 4 rounded pins/2.6m length Input Power: 580W Rated Speed: 235RPM Twist Drill: Ø23mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: MT2 Drill Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210*105*65mm Accessories: 3pcs handles, 2pcs fuses (1A), 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 39 * 19 * 48cm G/N Weight: 26.00/23.50Kgs Loading: 787pcs/20' </p>	<div style="text-align: center;">  </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;">     </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;">    </div>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ9323A Voltage/Frequency: 380V~/50Hz Plug/Power cord: 4 rounded pins/2.6m length Input Power: 580W Rated Speed: 235RPM Twist Drill: Ø23mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: MT2 Revolve Scope: ±30⁰ Move Scope: ±8mm Drill Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210*105*65mm Accessories: 3pcs handles, 2pcs fuses (1A), 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 39 * 19 * 50cm G/N Weight: 27.00/25.50Kgs Loading: 755pcs/20' </p>	


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Rail Drill: CSEZ9132 Voltage/Frequency: 380V/50Hz Plug/Power cord: 4 rounded pins/2.6m length Input Power: 1500W Rated Speed: 150RPM Twist Drill: Ø32mm Max Travel: 200mm Rotated Axis Taper: MT4 Max Attraction: 18500N Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 255 * 120 * 80mm Accessories: 3pcs handles, 1pc safety lock, 1pc drill convention 3-4#, 1pc bolt, 1pair fuse (5A), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 49 * 23 * 60cm G/N Weight: 47.00/42.00Kgs Loading: 414pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large orange and grey rail drill machine with a control panel. A coiled orange power cord with a blue safety lock. A black safety lock component. A small clear plastic bag containing a drill bit. A single drill bit. A cardboard box for the product. A red and white double magnetic base. Three drill bits with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Rail Drill: CSEZ9032W Voltage/Frequency: 380V/50Hz Plug/Power cord: 4 rounded pins/2.6m length Input Power: 1500W Rated Speed: 150RPM Twist Drill: Ø32mm Max Travel: 200mm Rotated Axis Taper: MT4 Max Attraction: 15000N Revolve Scope: ±30° Move Scope: ±8mm Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Single Circular Magnetism: 220 * 130 * 90mm Accessories: 3pcs handles, 1pc safety lock, 1pc drill convention 3-4#, 1pc bolt, 1pair fuse (5A), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 49 * 23 * 63cm G/N Weight: 49.00/43.50Kgs Loading: 394pcs/20' </p>	 <p> The product image displays the main rail drill machine, which is orange and black with a grey motor housing. Below the main image are several smaller images showing accessories: a roll of orange safety tape, a black safety lock, a small clear plastic bag containing a drill bit, a single drill bit, a cardboard box, a red and white circular magnet, and three black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Rail Drill: CSEZ9138 Voltage/Frequency: 380V/50Hz Plug/Power cord: 4 rounded pins/2.6m length Input Power: 1650W Rated Speed: 115RPM Twist Drill: Ø38mm Max Travel: 200mm Rotated Axis Taper: MT4 Max Attraction: 18500N Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 255 * 120 * 80mm Accessories: 3pcs handles, 1pc safety lock, 1pc drill convention 3-4#, 1pc bolt, 1pair fuse (5A), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 49 * 23 * 60cm G/N Weight: 47.00/42.00Kgs Loading: 414pcs/20' </p>	


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Rail Drill: CSEZ9038 Voltage/Frequency: 380V/50Hz Plug/Power cord: 4 rounded pins/2.6m length Input Power: 1650W Rated Speed: 115RPM Twist Drill: Ø38mm Max Travel: 200mm Rotated Axis Taper: MT4 Max Attraction: 18500N Revolve Scope: ±30° Move Scope: ±8mm Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Single Circular Magnetism: 220 * 130 * 90mm Accessories: 3pcs handles, 1pc safety lock, 1pc drill convention 3-4#, 1pc bolt, 1pair fuse (5A), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 49 * 23 * 63cm G/N Weight: 49.00/43.50Kgs Loading: 394pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large orange and grey rail drill machine with a control panel and a hand crank. A roll of orange safety tape and a blue work glove. A black safety lock. A clear plastic bag containing a small metal component. A single drill bit. A cardboard box, likely the product's packaging. A red and white circular magnet. Three drill bits with black handles. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Rail Drill: CSEZ9149 Voltage/Frequency: 380V/50Hz Plug/Power cord: 4 rounded pins/2.6m length Input Power: 2000W Rated Speed: 110RPM Twist Drill: Ø49mm Max Travel: 200mm Rotated Axis Taper: MT4 Max Attraction: 26000N Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 255 * 120 * 80mm Accessories: 3pcs handles, 1pc safety lock, 1pc drill convention 3-4#, 1pc bolt, 1pair fuse (5A), 1pc instruction manual </p>	<p> Packing: 1pcs/carton Carton Size: 45 * 23 * 60cm G/N Weight: 47.00/42.00Kgs Loading: 450pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large orange and grey rail drill machine with a control panel. A coiled orange power cord with a blue safety lock. A black safety lock component. A clear plastic bag containing a small metal part. A single metal drill bit. A cardboard box for the product. A red and white double magnetic base. Three metal handles with black grips. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ8000 Voltage/Frequency: 380V~/50Hz Plug/Power cord: 4 rounded pins/2.6m length Input Power: 1650W Rated Speed: 150RPM Hole Drill: Ø30-80mm Max Attraction: 20000N Max Travel: 120mm Rotated Axis Taper: Weldon Shank 1-1/4" Drill Depth: 75mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 220 * 130 * 90mm Accessories: 3pcs handles, 1pc safety lock, 2pcs fuses (1A), 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pc instruction manual </p>	<p> Package: 1pcs/carton Carton Size: 45 * 23 * 67cm G/N Weight: 53.00/48.00Kgs Loading: 403pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large red and black magnetic drill machine with a control panel. A collection of accessories: three black handles, a blue safety lock, two fuses, a hex key wrench, a blue and white water bottle, a white water pipe, and a manual. A photograph of the cardboard packaging box. A close-up of the double magnetic base, showing a red top and a white bottom. </p>


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Magnetic Drill: CSEZ100D Voltage/Frequency: 380V~/50Hz Plug/Power cord: 4 rounded pins/2.6m length Input Power: 2000W Rated Speed: 110RPM Hole Drill: Ø45-100mm Max Attraction: 22000N Max Travel: 120mm Rotated Axis Taper: Weldon Shank 1-1/4" Drill Depth: 75mm Drill Mode: Hand Cool Mode: Self-cool Double magnetic Base: 220 * 130 * 90mm Accessories: 3pcs handles, 1pc safety lock, 2pcs fuses (1A), 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pc instruction manual </p>	<p> Package: 1pcs/carton Carton Size: 45 * 23 * 68cm G/N Weight: 50.00/45.00Kgs Loading: 397pcs/20' </p>	


CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Rail Drill: CSEZ9032 Voltage/Frequency: 380V/50Hz Plug/Power cord: 4 rounded pins/2.6m length Input Power: 1050W Rated Speed: 300RPM Hole Drill: Ø32mm Max Travel: 180mm Rotated Axis Taper: Weldon shank 3/4" Max Attraction: 12000N Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Accessories: 3pcs handles, 1pair carbon brush, 1pc safety lock, 1pc 19 cross chuck join shank, 1pc instruction manual </p>	<p> Packing: 1pcs/wood box Carton Size: 43 * 17 * 58cm G/N Weight: 26.50/22.00Kgs Loading: 660pcs/20' </p>	

CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p> Rail Drill: CSEZ9040 Voltage/Frequency: 230V/50Hz Plug/Power cord: 2 rounded pins/2.6m length Input Power: 1200W Rated Speed: 350RPM Hole Drill: Ø12-40mm Twist Drill: Ø16mm Max Attraction: 12000N Max Travel: 180mm Rotated Axis Taper: Weldon shank 3/4" Drill Depth: 50mm Drill Mode: Hand Cool Mode: Self-cool Accessories: 3pcs handles, 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pc instruction manual </p>	<p> Packing: 1pcs/wood box Carton Size: 43 * 17 * 58cm G/N Weight: 26.50/22.00Kgs Loading: 660pcs/20' </p>	 <p> The product image section contains several photographs: <ul style="list-style-type: none"> A large image of the blue and black rail drill machine with a white water tank. A smaller image of the white water bottle with a blue cap and a clear water pipe. Three images of different drill handles with black grips. An image of a pair of carbon brushes. An image of a hex key wrench. An image of the wooden packaging box. An image of the power cord with a two-pronged plug. </p>

CoEazy Quotation

Shanghai CoEazy Industry Co., Ltd.

Technical Data	Package Data	Product Image
<p>Gasoline Drill Machine: CSEZ9035 Input Power: 1650W Rated Speed: 200-1100RPM Hole Drill: Ø12-35mm Max Travel: 100mm Rotated Axis Taper: Weldon Shank 1-1/4" Drill Depth: 50mm Drill Mode: Hand Cool Mode: water-cool Accessories: 3pcs handles, 1pc hex key wrench, 1pc 19 cross join shank, 1pc instruction manual</p>	<p>Package: 1pcs/wood box Carton Size: 50 * 31 * 54.5cm G/N Weight: 25.00/22.00Kgs Loading: 330pcs/20'</p>	