

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9438 Max of Cutter: Ø38mm Max of Twist Drill: Ø23mm Tapping Capacity: M8-M16 Voltage: 230V Input Power: 1050W Rated Speed: 0-500RPM & 0-800RPM Tool Holder: MT2 Right/Left Rotation: Yes Magnetic Adhesion: 12000N Max Travel: 180mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 1pc safety lock, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuse (1A), 1pc MT2 cross shank, 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pc side handle of motor, 1pc tapping chuck head, 1pc instruction manual</p>	<p>Packing: plastic box Quantity: 1pc/ carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 27.00/26.00kg</p>	 <p>The product image displays the magnetic drill machine (CE9438) with its motor and base. It also shows several accessories: a black handle with a green grip, a blue and white water bottle, a black safety lock, a blue plastic case, a power plug, and several drill bits and tools. The brand name 'CoEazy' is visible on the machine's base.</p>

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications

Magnetic Drill: CE9438A
 Max of Cutter: Ø38mm
 Max of Twist Drill: Ø23mm
 Tapping Capacity: M8-M16
 Voltage: 230V
 Input Power: 1050W
 Rated Speed: 0-500RPM & 0-800RPM
 Tool Holder: MT2
 Right/Left Rotation: Yes
 Magnetic Adhesion: 12000N
 Max Travel: 180mm
 Revolve Scope: $\pm 30^{\circ}$
 Move Scope: ± 8 mm
 Drilling Depth: 50mm
 Drilling Mode: Hand
 Cool Mode: Self-cool
 Double Magnetic Base: 210 * 105 * 65mm
 Accessories: 3pcs handle, 1pc safety lock, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuse (1A), 1pc MT2 cross shank, 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pc side handle of motor, 1pc tapping chuck head, 1pc instruction manual

Packing Data

Packing: plastic box
 Quantity: 1pc/ carton
 Carton Size: 45 * 19 * 55.5cm
 G/N Weight: 27.00/26.00kg

Product Image



Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications

Magnetic Drill: CE9050A1
 Max of Cutter: Ø50mm
 Max of Twist Drill: Ø23mm
 Voltage: 230V
 Input Power: 1500W
 Rated Speed: 100-500RPM
 Tool Holder: MT3
 Max Travel: 180mm
 Revolve Scope: ±30°
 Move Scope: ±8mm
 Magnetic Adhesion: 15000N
 Drilling Depth: 50mm
 Drilling Mode: Hand
 Cool Mode: Self-cool
 Double Magnetic Base: 210 * 105 * 65mm
 Accessories: 3pcs handle, 1pc safety lock, 1pc MT3 cross shank, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pc instruction manual

Packing Data


Packing: plastic case
 Quantity: 1pc/ carton
 Carton Size: 45 * 19 * 54.5cm
 G/N Weight: 25.00/22.00kg

Product Image




Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9050A2 Max of Cutter: Ø50mm Voltage: 230V Input Power: 1500W Rated Speed: 100-500RPM Tool Holder: Weldon Shank 3/4" Max Travel: 180mm Revolve Scope: ±30° Move Scope: ±8mm Magnetic Adhesion: 15000N Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 1pc bolt, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc instruction manual</p>	<p>Packing: plastic case Quantity: 1pc/ carton Carton Size: 45 * 19 * 54.5cm G/N Weight: 25.00/22.00kg</p>	 <p>The product image displays the magnetic drill unit with its base and handle. It also shows various accessories including a black handle with a green grip, a blue and white water bottle, a power cord with a three-prong plug, a black safety lock, a hex key wrench, a carbon brush, a bolt, a fuse, and a pair of safety glasses.</p>


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE5000 Max of Cutter: Ø50mm Voltage: 230V Input Power: 1500W Rated Speed: 680RPM Tool Holder: Weldon Shank 3/4" Magnetic Adhesion: 16500N Max Travel: 180mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 1pair safety lock, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pc side handle of motor, 1pc instruction manual</p>	<p>Packing: plastic case Quantity: 1pc/ carton Carton Size: 45 * 19 * 54.5cm G/N Weight: 24.00/22.00Kg</p>	 <p>The product image displays the CE5000 magnetic drill machine, which is a black and silver hand-operated tool. It includes a black handle with a green grip, a white plastic water bottle with a blue cap, a black power cord with a three-pronged plug, a yellow fuse, a pair of carbon brushes, a hex key wrench, a side handle for the motor, and a black plastic carrying case. The machine itself has a large gear handle and a cutting mechanism at the bottom.</p>

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CEMD50 Max of Cutter: Ø50mm Max of Twist Drill: Ø23mm Voltage: 230V Input Power: 1500W Rated Speed: 100-500RPM Tool Holder: MT3 Magnetic Adhesion: 18000N Max Travel: 180mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 45 * 19 * 54.5cm G/N Weight: 24.00/22.00Kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CEMD48 Max of Cutter: Ø48mm Voltage: 230V Input Power: 1200W Rated Speed: 100-500RPM Tool Holder: MT2 Magnetic Adhesion: 18000N Max Travel: 180mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc cross chuck join shank, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 23.50/21.00kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications

Magnetic Drill: CEMD45B
 Max of Cutter: Ø45mm
 Max of Twist Drill: Ø23mm
 Voltage: 230V
 Input Power: 1100W
 Rated Speed: 100-450RPM
 Tool Holder: MT2
 Magnetic Adhesion: 18000N
 Max Travel: 180mm
 Drilling Depth: 50mm
 Drilling Mode: Hand
 Cool Mode: Self-cool
 Double Magnetic Base: 210 * 105 * 65mm
 Accessories: 3pcs handle, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuse (1A), 1pair carbon brush, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual

Packing Data


Quantity: 1pc/ carton
 Carton Size: 39 * 19 * 50cm
 G/N Weight: 25.00/20.00kg

Product Image




Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE94451 Max of Cutter: Ø45mm Max of Twist Drill: Ø16mm Voltage: 230V Input Power: 1200W Rated Speed: 100-500RPM Tool Holder: MT2 Magnetic Adhesion: 12000N Max Travel: 180mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc MT2 cross shank, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual</p>	<p>Packing: plastic box Quantity: 1pc/ carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 23.50/21.00kg</p>	 <p>The product image displays the magnetic drill unit with its control panel and side handle. It also shows a blue and white water bottle, a black handle with a green grip, and several accessories including a red safety lock, a hex key wrench, a pair of carbon brushes, a drill bit, a side handle for the motor, and a power cord with a three-pronged plug. A blue plastic carrying case is also visible at the bottom left of the image area.</p>


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE94451A Max of Cutter: Ø45mm Max of Twist Drill: Ø23mm Voltage: 230V Input Power: 1200W Rated Speed: 100-500RPM Tool Holder: MT2 Magnetic Adhesion: 12000N Max Travel: 180mm Revolve Scope: ±30° Move Scope: ±8mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc MT2 cross shank, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual</p>	<p>Packing: plastic box Quantity: 1pc/ carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 26.00/23.00kg</p>	 <p>The product image displays the magnetic drill machine (CE94451A) with its motor and base. It includes a water bottle for cooling, a handle for manual operation, and various accessories such as drill bits, a hex key wrench, a power cord, and a carrying case.</p>


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE94452 Max of Cutter: Ø45mm Voltage: 230V Input Power: 1200W Rated Speed: 100-500RPM Tool Holder: Weldon Shank 3/4" Magnetic Adhesion: 12000N Max Travel: 180mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 1pc cross chuck join shank, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual</p>	<p>Packing: plastic box Quantity: 1pc/ carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 23.50/21.00kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE94452A Max of Cutter: Ø45mm Voltage: 230V Input Power: 1200W Rated Speed: 100-500RPM Tool Holder: Weldon Shank 3/4" Magnetic Adhesion: 12000N Max Travel: 180mm Revolve Scope: ±30° Move Scope: ±8mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: Accessories: 3pcs handle, 1pc cross chuck join shank, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual</p>	<p>Packing: plastic box Quantity: 1pc/ carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 26.00/23.00kg</p>	 <p>The product image displays the magnetic drill unit with its motor and base. It includes a black handle with a green grip, a white water bottle with a blue cap, a power cord with a three-pronged plug, a blue fuse, a carbon brush, a hex key wrench, a black side handle, and a cross chuck join shank. The unit itself is black and grey with a yellow label on the motor housing.</p>

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications

Magnetic Drill: CE9445B
 Max of Cutter: Ø45mm
 Max of Twist Drill: Ø23mm
 Voltage: 230V
 Input Power: 1100W
 Rated Speed: 100-450RPM
 Tool Holder: MT2
 Magnetic Adhesion: 12000N
 Max Travel: 180mm
 Drilling Depth: 50mm
 Drilling Mode: Hand
 Cool Mode: Self-cool
 Double Magnetic Base: 210 * 105 * 65mm
 Accessories: 3pcs handle, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc MT2 cross shank, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual

Packing Data

Quantity: 1pc/ carton
 Carton Size: 39 * 19 * 50cm
 G/N Weight: 25.00/20.00kg

Product Image



Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications

Magnetic Drill: CE9445BA
 Max of Cutter: Ø45mm
 Max of Twist Drill: Ø23mm
 Voltage: 230V
 Input Power: 1100W
 Rated Speed: 100-450RPM
 Tool Holder: MT2
 Magnetic Adhesion: 12000N
 Max Travel: 180mm
 Revolve Scope: ±30°
 Move Scope: ±8mm
 Drilling Depth: 50mm
 Drilling Mode: Hand
 Cool Mode: Self-cool
 Double Magnetic Base: 210 * 105 * 65mm
 Accessories: 3pcs handle, 1pc drill convention (1-2#), 1pc bolt, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc MT2 cross shank, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual

Packing Data


Quantity: 1pc/ carton
 Carton Size: 45 * 19 * 55.5cm
 G/N Weight: 25.00/22.50kg

Product Image



Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE3500 Max of Cutter: Ø35mm Voltage: 230V Input Power: 1050W Rated Speed: 500RPM Tool Holder: Weldon Shank 3/4" Magnetic Adhesion: 11000N Max Travel: 140mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 170 * 90 * 70mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc 19 cross chuck join shank, 1pc side handle of motor, 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 31 * 16 * 44cm G/N Weight: 19.00/17.50Kgs Loading: 1280pcs/20'</p>	 <p>The product image section contains several photographs: a large central image of the magnetic drill machine; a smaller image of a black handle with a green grip; a white plastic water bottle with a blue cap and a hose; a roll of orange safety tape; a blue fuse; a pair of carbon brushes; a hex key wrench; a small plastic bag containing a component; a cardboard box; a close-up of the power plug; and three metal drill bits with black handles.</p>

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CEMD35 Max of Cutter: Ø35mm Voltage: 230V Input Power: 1100W Rated Speed: 0-650RPM Tool Holder: Weldon Shank 3/4" Magnetic Adhesion: 11000N Max Travel: 140mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 170 * 90 * 70mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc 19 cross chuck join shank, 1pc side handle of motor, 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 31 * 16 * 44cm G/N Weight: 19.00/17.50kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CEMD32 Max of Cutter: Ø32mm Voltage: 230V Input Power: 1100W Rated Speed: 100-650RPM Tool Holder: Weldon Shank 3/4" Magnetic Adhesion: 8500N Max Travel: 140mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 166 * 80 * 48mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 37 * 16.5 * 44cm G/N Weight: 12.50/11.50kg</p>	


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE3200 Max of Cutter: Ø32mm Voltage: 230V Input Power: 1050W Rated Speed: 0-650RPM Tool Holder: Weldon Shank 3/4" Magnetic Adhesion: 8500N Max Travel: 120mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 166 * 80 * 48mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual</p>	<p>Packing: plastic box Quantity: 1pc/ carton Carton Size: 37 * 16.5 * 44cm G/N Weight: 12.50/11.50kg</p>	


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE3001 Max of Cutter: Ø30mm Voltage: 230V Input Power: 900W Rated Speed: 0-650RPM Tool Holder: Weldon Shank 3/4" Magnetic Adhesion: 8000N Max Travel: 120mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 166 * 80 * 48mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual.</p>	<p>Packing: plastic box Quantity: 1pc/ carton Carton Size: 37 * 16.5 * 44 cm G/N Weight: 13.00/11.50kg</p>	 <p>The product image section contains several photographs: a large image of the magnetic drill unit (orange and black) with a watermark 'www.coeazy.com'; a black handle with a green grip; a blue and white water bottle with a hose; a pair of orange safety gloves; a pair of carbon brushes; a small white bag containing a fuse; a hex key wrench; a black plastic carrying case; a close-up of a black power plug; and three metal drill bits with black handles.</p>

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE2800 Max of Cutter: Ø28mm Voltage: 230V Input Power: 880W Rated Speed: 880RPM Tool Holder: Weldon Shank 3/4" Magnetic Adhesion: 8000N Max Travel: 140mm Drilling Depth: 50mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 166 * 80 * 48mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pair safety lock, 1pc side handle of motor, 1pc instruction manual.</p>	<p>Packing: plastic box Quantity: 1pc/ carton Carton Size: 37 * 16.5 * 44 cm G/N Weight: 15.00/13.50kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications

Magnetic Drill: CE9225
 Max of Twist Drill: Ø25mm
 Voltage: 230V
 Input Power: 1350W
 Rated Speed: 480RPM
 Tool Holder: MT3
 Magnetic Adhesion: 15000N
 Max Travel: 180mm
 Drilling Mode: Hand
 Cool Mode: Self-cool
 Double Magnetic Base: 210 * 105 * 65mm
 Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual

Packing Data

Packing: plastic box
 Outer: 1pc/carton
 Carton Size: 45 * 19 * 54.5cm
 G/N Weight: 24.00/23.00kg

Product Image



Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9223 Max of Twist Drill: Ø23mm Voltage: 230V Input Power: 1200W Rated Speed: 500RPM Tool Holder: MT2 Magnetic Adhesion: 12000N Max Travel: 180mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual</p>	<p>Packing: plastic box Outer: 1pc/carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 23.00/21.00kg</p>	


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9223A Max of Twist Drill: Ø23mm Voltage: 230V Input Power: 1200W Rated Speed: 500RPM Tool Holder: MT2 Magnetic Adhesion: 12000N Max Travel: 180mm Revolve Scope: ±30° Move Scope: ±8mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual</p>	<p>Packing: plastic box Outer: 1pc/carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 23.00/21.00kg</p>	


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9219 Max of Twist Drill: Ø19mm Voltage: 230V Input Power: 950W Rated Speed: 550RPM Tool Holder: MT2 Magnetic Adhesion: 10000N Max Travel: 180mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual</p>	<p>Packing: plastic box Outer: 1pc/carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 23.00/21.00kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9219A Max of Twist Drill: Ø19mm Voltage: 230V Input Power: 950W Rated Speed: 550RPM Tool Holder: MT2 Magnetic Adhesion: 11000N Max Travel: 180mm Revolve Scope: ±30° Move Scope: ±8mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual</p>	<p>Packing: plastic box Quantity: 1pc/ carton Carton Size: 45 * 19 * 55.5cm G/N Weight: 23.00/21.00kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications

Magnetic Drill: CEMD120
 Max of Cutter: Ø120mm
 Max of Twist Drill: Ø49mm
 Tapping Capability: M18-32
 Voltage: 380V
 Input Power: 2200W
 Rated Speed: 85RPM & 165RPM
 Tool Holder: MT4
 Magnetic Adhesion: 32000N
 Max Travel: 200mm
 Drilling Mode: Hand
 Drilling Depth: 50mm
 Cool Mode: Self-cool
 Double Magnetic Base: 220 * 130 * 90mm
 Accessories: 3pcs handle, 1pair safety lock, 2pcs fuse (1A), 1pc instruction manual, 1pc bolt, 1pc drill convention (3-4#), 1pc water pipe, 1pc water bottle, 1pair carbon brush, 1pc key chuck, tap chucks (M10, M12, M14, M16, M18-22, M24, M26, M27-30, M33)

Packing Data

Package: 1pc/ carton
 Carton Size: 47 * 25 * 65cm
 G/N Weight: 60.00/55.00kg

Product Image



Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CEMD100 Max of Cutter: Ø100mm Max of Twist Drill: Ø49mm Voltage: 380V Input Power: 1800W Rated Speed: 110RPM Tool Holder: MT4 Magnetic Adhesion: 30000N Max Travel: 200mm Drilling Depth: 100mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 220 * 130 * 90mm Accessories: 3pcs handle, 1pc safety lock, 2pcs fuse (1A), 1pc drill convention (3-4#), MT4 cross shank, 1pc bolt, 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pc instruction manual, 1pc side handle of motor</p>	<p>Package: 1pc/ carton Carton Size: 45 * 23 * 68cm G/N Weight: 50.00/45.00kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE100D Max of Cutter: Ø100mm Voltage: 380V Input Power: 2000W Rated Speed: 110RPM Tool Holder: Weldon Shank 1-1/4" Magnetic Adhesion: 22000N Max Travel: 120mm Drilling Depth: 75mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 220 * 130 * 90mm Accessories: 3pcs handle, 1pc safety lock, 2pcs fuse (1A), 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pc instruction manual</p>	<p>Package: 1pc/ carton Carton Size: 45 * 23 * 68cm G/N Weight: 50.00/45.00kg</p>	


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE8000 Max of Cutter: Ø80mm Voltage: 380V Input Power: 1850W Rated Speed: 150RPM Tool Holder: Weldon Shank 1-1/4" Magnetic Adhesion: 20000N Max Travel: 120mm Drilling Depth: 75mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 220 * 130 * 90mm Accessories: 3pcs handle, 1pc safety lock, 2pcs fuse (1A), 1pc hex key wrench, 1pc water bottle, 1pc water pipe, 1pc instruction manual</p>	<p>Package: 1pc/ carton Carton Size: 45 * 23 * 67cm G/N Weight: 53.00/48.00kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE6500 Max of Twist Drill: Ø65mm Voltage: 380V Input Power: 16500W Rated Speed: 100-500RPM Tool Holder: MT2 Max Travel: 180mm Magnetic Adhesion: 18000N Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 1pc safety lock, 1pair fuse (5A), 1pc instruction manual, 1pc side handle of motor</p>	<p>Quantity: 1pc/ carton Carton Size: 45 * 23 * 60cm G/N Weight: 47.00/42.00kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9149 Max of Twist Drill: Ø49mm Voltage: 380V Input Power: 2000W Rated Speed: 110RPM Tool Holder: MT4 Max Travel: 200mm Magnetic Adhesion: 26000N Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 255 * 120 * 80mm Accessories: 3pcs handle, 1pc safety lock, 1pc drill convention 3-4#, 1pc bolt, 1pair fuse (5A), 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 45 * 23 * 60cm G/N Weight: 47.00/42.00kg</p>	


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9138 Max of Twist Drill: Ø38mm Voltage: 380V Input Power: 1650W Rated Speed: 115RPM Tool Holder: MT4 Max Travel: 200mm Magnetic Adhesion: 21000N Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 255 * 120 * 80mm Accessories: 3pcs handle, 1pc safety lock, 1pc drill convention 3-4#, 1pc bolt, 1pair fuse (5A), 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 49 * 23 * 60cm G/N Weight: 47.00/42.00kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9038 Max of Twist Drill: Ø38mm Voltage: 380V Input Power: 1650W Rated Speed: 115RPM Tool Holder: MT4 Max Travel: 200mm Magnetic Adhesion: 18500N Revolve Scope: ±30° Move Scope: ±8mm Drilling Mode: Hand Cool Mode: Self-cool Single Circular Magnetism: 220 * 130 * 90mm Accessories: 3pcs handle, 1pc safety lock, 1pc drill convention 3-4#, 1pc bolt, 1pair fuse (5A), 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 49 * 23 * 63cm G/N Weight: 49.00/43.50kg</p>	


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9132 Max of Twist Drill: Ø32mm Voltage: 380V Input Power: 1500W Rated Speed: 150RPM Tool Holder: MT4 Max Travel: 200mm Magnetic Adhesion: 18500N Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 255 * 120 * 80mm Accessories: 3pcs handle, 1pc safety lock, 1pc drill convention 3-4#, 1pc bolt, 1pair fuse (5A), 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 49 * 23 * 60cm G/N Weight: 47.00/42.00kg</p>	


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9032 Max of Twist Drill: Ø32mm Voltage: 380V Input Power: 1500W Rated Speed: 150RPM Tool Holder: MT4 Max Travel: 200mm Magnetic Adhesion: 15000N Revolve Scope: ±30° Move Scope: ±8mm Drilling Mode: Hand Cool Mode: Self-cool Single Circular Magnetism: 220 * 130 * 90mm Accessories: 3pcs handle, 1pc safety lock, 1pc drill convention 3-4#, 1pc bolt, 1pair fuse (5A), 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 49 * 23 * 63cm G/N Weight: 49.00/43.50kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9323 Max of Twist Drill: Ø23mm Voltage: 380V Input Power: 580W Rated Speed: 235RPM Tool Holder: MT2 Magnetic Adhesion: 12000N Max Travel: 180mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 39 * 19 * 48cm G/N Weight: 26.00/23.50kg</p>	 <p>The product image section contains several sub-images: a large central image of the magnetic drill unit with the 'CoEazy' logo; a side handle with a black grip; a red and white magnetic base; a pair of safety lock handles; a roll of orange tape; a small plastic bag with a fuse; a metal handle; a black wedge-shaped tool; a metal drill bit; a cardboard box; and three different drill bits.</p>

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.


Specifications

Magnetic Drill: CE9323A
 Max of Twist Drill: Ø23mm
 Voltage: 380V
 Input Power: 580W
 Rated Speed: 235RPM
 Tool Holder: MT2
 Magnetic Adhesion: 12000N
 Max Travel: 180mm
 Revolve Scope: $\pm 30^{\circ}$
 Move Scope: $\pm 8\text{mm}$
 Drilling Mode: Hand
 Cool Mode: Self-cool
 Double Magnetic Base: 210 * 105 * 65mm
 Accessories: 3pcs handle, 2pcs fuse (1A), 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual

Packing Data

Quantity: 1pc/ carton
 Carton Size: 39 * 19 * 50cm
 G/N Weight: 27.00/25.50kg

Product Image



Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9319 Max of Twist Drill: Ø19mm Voltage: 380V Input Power: 500W Rated Speed: 290RPM Tool Holder: MT2 Magnetic Adhesion: 11000N Max Travel: 180mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 39 * 19 * 48cm G/N Weight: 26.00/23.50kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications

Magnetic Drill: CE9319A
 Max of Twist Drill: Ø19mm
 Voltage: 380V
 Input Power: 500W
 Rated Speed: 290RPM
 Tool Holder: MT2
 Magnetic Adhesion: 11000N
 Max Travel: 180mm
 Revolve Scope: $\pm 30^{\circ}$
 Move Scope: ± 8 mm
 Drilling Mode: Hand
 Cool Mode: Self-cool
 Double Magnetic Base: 210 * 105 * 65mm
 Accessories: 3pcs handle, 2pcs fuse (1A), 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual

Packing Data

Quantity: 1pcs/ carton
 Carton Size: 39 * 19 * 48cm
 G/N Weight: 26.00/23.50kg

Product Image




Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9523 Max of Twist Drill: Ø23mm Voltage: 230V Input Power: 1000W Rated Speed: 480RPM Tool Holder: MT2 Magnetic Adhesion: 11000N Max Travel: 180mm Drilling Mode: Hand Cool Mode: Self-cool Double Magnetic Base: 210 * 105 * 65mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 34 * 21 * 47.5cm G/N Weight: 20.00/18.00kg</p>	<p>The product image section contains several individual items: a large magnetic drill unit with a grey motor and black base; a black side handle with a green grip; a cylindrical fuse; a small white safety lock; a black drill bit; a power cord with a three-pronged plug; a roll of orange tape; and a cardboard box. There are also three drill bits shown at the bottom right.</p>


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9423 Max of Twist Drill: Ø23mm Voltage: 230V Input Power: 1200W Rated Speed: 500RPM Tool Holder: MT2 Magnetic Adhesion: 11000N Max Travel: 180mm Revolve Scope: ±30° Move Scope: ±8mm Drilling Mode: Hand Cool Mode: Self-cool Single circular magnetism: Ø150 * 75mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 34 * 21 * 47.5cm G/N Weight: 20.00/18.00kg</p>	 <p>The product image section contains several photographs: a large central image of the magnetic drill unit; a side handle with a green grip; a collection of accessories including a black triangular piece, a metal rod, a small plastic bag, a pair of carbon brushes, a pair of safety locks, a roll of orange tape, and a pair of blue gloves; a photograph of the cardboard carton; a close-up of the power plug; and three different drill bits.</p>

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9023 Max of Twist Drill: Ø23mm Voltage: 230V Input Power: 1000W Rated Speed: 480RPM Tool Holder: MT2 Magnetic Adhesion: 11000N Max Travel: 180mm Revolve Scope: ±30° Move Scope: ±8mm Drilling Mode: Hand Cool Mode: Self-cool Single circular magnetism: Ø150 * 75mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 51.5 * 19 * 48cm G/N Weight: 24.00/22.50kg</p>	 <p>The product image section contains several photographs: a large central image of the magnetic drill unit with the 'CoEazy' logo; a smaller image of a black handle with a green grip; a collection of accessories including a black triangular piece, a metal rod, a small plastic bag, a pair of carbon brushes, a roll of orange tape, and a blue tool; a photograph of the cardboard shipping carton; a close-up of the power plug; and three different drill bits.</p>

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications

Magnetic Drill: CE9519
Max of Twist Drill: Ø19mm
Voltage: 230V
Input Power: 900W
Rated Speed: 550RPM
Tool Holder: MT2
Magnetic Adhesion: 9500N
Max Travel: 180mm
Drilling Mode: Hand
Cool Mode: Self-cool
Double Magnetic Base: 210 * 105 * 65mm
Accessories: 3pcs handle, 2pcs fuse (1A), 1pair safety lock, 1pc side handle of motor, 1pc instruction manual

Packing Data


Quantity: 1pc/ carton
Carton Size: 51.5 * 19 * 48cm
G/N Weight: 24.00/22.50kg

Product Image



Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9019 Max of Twist Drill: Ø19mm Voltage: 230V Input Power: 900W Rated Speed: 550RPM Tool Holder: MT2 Magnetic Adhesion: 10000N Max Travel: 180mm Revolve Scope: ±30° Move Scope: ±8mm Drilling Mode: Hand Cool Mode: Self-cool Single circular magnetism: Ø150 * 75mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pair safety lock, 1pc side handle of motor, 1pc bolt, 1pc drill convention (1-2#), 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 59 * 21 * 56cm G/N Weight: 24.00/22.50kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9116 Max of Twist Drill: Ø16mm Voltage: 230V Input Power: 750W Rated Speed: 650RPM Magnetic Adhesion: 9000N Max Travel: 140mm Revolve Scope: ±30° Move Scope: ±8mm Drilling Mode: Hand Cool Mode: Self-cooled Single circular magnetism: Ø150 * 65mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pair safety lock, 1pc chuck and key, 1pc side handle of motor, 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 34 * 21 * 47.5cm G/N Weight: 20.00/18.00kg</p>	


Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9016 Max of Twist Drill: Ø16mm Voltage: 230V Input Power: 750W Rated Speed: 550RPM Magnetic Adhesion: 9000N Max Travel: 140mm Revolve Scope: ±30° Move Scope: ±8mm Drilling Mode: Hand Cool Mode: Self-cooled Single circular magnetism: Ø150 * 65mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pair safety lock, 1pc chuck and key, 1pc side handle of motor, 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 34 * 21 * 47.5cm G/N Weight: 20.00/18.00kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9113 Max of Twist Drill: Ø13mm Voltage: 230V Input Power: 450W Rated Speed: 650RPM Magnetic Adhesion: 8500N Max Travel: 140mm Revolve Scope: ±30° Move Scope: ±8mm Drilling Mode: Hand Cool Mode: Self-cooled Single circular magnetism: Ø150 * 65mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pair safety lock, 1pc chuck and key, 1pc side handle of motor, 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 34 * 21 * 47.5cm G/N Weight: 18.50/17.50kg</p>	

Magnetic Drill

Shanghai CoEazy Industry Co., Ltd.

Specifications	Packing Data	Product Image
<p>Magnetic Drill: CE9013 Max of Twist Drill: Ø13mm Voltage: 230V Input Power: 450W Rated Speed: 550RPM Magnetic Adhesion: 8500N Max Travel: 140mm Revolve Scope: ±30° Move Scope: ±8mm Drilling Mode: Hand Cool Mode: Self-cooled Single circular magnetism: Ø150 * 65mm Accessories: 3pcs handle, 2pcs fuse (1A), 1pair carbon brush, 1pair safety lock, 1pc chuck and key, 1pc side handle of motor, 1pc instruction manual</p>	<p>Quantity: 1pc/ carton Carton Size: 34 * 21 * 47.5cm G/N Weight: 18.50/17.50kg</p>	